# Author Index


Acerbi, D., see Rondelli, I. 612(1993)95

Aden Abdi, Y., Villén, T., Gustafsson, L. L., Ericsson, Ö. and Sjöqvist, F.
Methodological commentary on the analysis of metrifonate and dichlorvos in biological samples 612(1993)336

Altieri, I., see Pacifici, R. 612(1993)209

Altmayer, P., Büch, U., Büch, H. P. and Larsen, R.
Rapid and sensitive pre-column extraction high-performance liquid chromatographic assay for propofol in biological fluids 612(1993)326

Alvinerie, M., Sutra, J. F., Eeckhoutte, C., Galtier, P., Van 't Klooster, G. A. E. and Van Miert, A. S. J. P. A. M.
Determination of aditoprim and its oxidative metabolites in plasma and microsomal incubation mixtures by high-performance liquid chromatography 612(1993)115

Amari, G., see Rondelli, I. 612(1993)95

Aoki, I., see Okuda, T. 612(1993)263

Arita, T., see Nishikata, M. 612(1993)239

Bacosi, A., see Pacifici, R. 612(1993)209

Baltassat, P., see Guichard, J. 612(1993)269

Beach, A. C., see Spencer, G. G. 612(1993)295

Bihoreau, N., Layet, S., Fontaine-Aupart, M. P. and Paolantonacci, P.
Application of a new statistical approach to optimize the immunopurification of antihemophilia A factor 612(1993)49

Blaschke, G., see Elsing, B. 612(1993)223

Brøsen, K., see Kramer Nielsen, K. 612(1993)87

Bruckner, J. V., see Chen, X. M. 612(1993)199

Bruynseels, V., see Vandenbosch, C. 612(1993)77

Büch, H. P., see Altmayer, P. 612(1993)326

Büch, U., see Altmayer, P. 612(1993)326

Buijs, M. J. H., see Plomp, T. A. 612(1993)123

Burke, J. F., see Tredget, E. E. 612(1993)7

Cajigas, A., see Steinberg, J. J. 612(1993)277

Campíns-Falcó, P., Herráez-Hernández, R. and Sevillano-Cabeza, A.
Improved detection limits for screening of diuretics by coupled liquid chromatography and ultraviolet–visible spectrophotometry 612(1993)245

Caronna, A., see Pacifici, R. 612(1993)209

Cassels, B. K., see Speisky, H. 612(1993)315

Chambers, M., see Tredget, E. E. 612(1993)7

Chan, D. C. N., see Lam, Y. W. F. 612(1993)166

Charles, B. G., see Sidhu, J. S. 612(1993)161

Chee, G. L. and Wan, T. S. M.
Reproducible and high-speed separation of basic drugs by capillary zone electrophoresis 612(1993)172

Chen, X. M., Dallas, C. E., Muralidhara, S., Srivatsan, V. and Bruckner, J. V.
Analyses of volatile $C_2$ haloethanes and haloethenes in tissues: sample preparation and extraction 612(1993)199

Chirrey, L., see Cummings, J. 612(1993)105

Coene, J., Van den Eeckhout, E., Herdewijn, P. and Sandra, P.
Gas chromatographic determination of alkyl lysophospholipids after solid-phase extraction from cell culture media 612(1993)21

Cornpropst, J. D., see Hamilton, C. L. 612(1993)253

Cramer, H., see Rissler, K. 612(1993)150

Crowley, C., see James, I. 612(1993)41

Cummings, J., Chirrey, L., Willmott, N., Halbert, G. W. and Smyth, J. F.
Determination of mitomycin C, 2,7-diaminomitosene, 1,2-*cis*- and 1,2-*trans*-1-hydroxy-2,7-diaminomitosene in tumour tissue by high-performance liquid chromatography 612(1993)105

Dallas, C. E., see Chen, X. M. 612(1993)199

De Smet, M., see Vandenbosch, C. 612(1993)77

De V. Albrecht, C. F., see Kruger, P. B. 612(1993)191

Deyl, Z., see Mikšík, I. 612(1993)57

Dubost, J., see Guichard, J. 612(1993)269

Eeckhoutte, C., see Alvinerie, M. 612(1993)115

Eller, T. D., Walle, U. K. and Walle, T.
Immunoaffinity isolation of the sulfate conjugate of 4'-hydroxypropranolol from plasma 612(1993)320

Elsing, B. and Blaschke, G.
Achiral and chiral high-performance liquid chromatographic determination of tramadol and its major metabolites in urine after oral administration of racemic tramadol 612(1993)223

Ericsson, Ö., see Aden Abdi, Y. 612(1993)336

Eriksson, B.-M.
Determination of catecholamines in rat heart tissue and plasma samples by liquid chromatography with electrochemical detection, by B.-M. Eriksson and B.-A. Persson, *J. Chromatogr.*, 228 (1982) 143 612(1993)1

Fiset, C., Philippon, F., Gilbert, M. and Turgeon, J.
Stereoselective high-performance liquid chromatographic assay for the determination of sotalol enantiomers in biological fluids 612(1993)231

Fontaine-Aupart, M. P., see Bihoreau, N. 612(1993)49

Fornstedt, T.
Peak distortion effects of suramin due to large system peaks in bioanalysis using ion-pair adsorption chromatography 612(1993)137

Forsyth, N., see Tredget, E. E. 612(1993)7

Fushida, H., see Nishikata, M. 612(1993)239

Galtier, P., see Alvinerie, M. 612(1993)115

Ghahary, A., see Tredget, E. E. 612(1993)7

Gilbert, M., see Fiset, C. 612(1993)231

Grimaldi, F., see Rop, P. P. 612(1993)302

Guichard, J., Panteix, G., Dubost, J., Baltassat, P. and Roche, C.
Simultaneous high-performance liquid chromatographic assay of droperidol and flunitrazepam in human plasma. Application to haemodilution blood samples collected during clinical anaesthesia 612(1993)269

Guo, J., see Zhang, C.-X. 612(1993)287

Gupta, R. C., see Spencer, G. G. 612(1993)295

Gustafsson, L. L., see Aden Abdi, Y. 612(1993)336

Halbert, G. W., see Cummings, J. 612(1993)105

Hamilton, C. L. and Cornpropst, J. D.
Determination of dapoxetine, an investigational agent with the potential for treating depression, and its mono- and di-desmethyl metabolites in human plasma using column-switching high-performance liquid chromatography 612(1993)253
Hayakawa, K., see Oizumi, J. 612(1993)156
Herdewijn, P., see Coene, J. 612(1993)21
Herráez-Hernández, R., see Campíns-Falcó, P. 612(1993)245
Herring, V. L. and Johnson, J. A.
Direct high-performance liquid chromatographic determination in urine of the enantiomers of propranolol and its major basic metabolite 4-hydroxypropranolol 612(1993)215
Hodný, Z., see Mikšík, I. 612(1993)57
Hogg, A. M., see Tredget, E. E. 612(1993)7
Iseki, K., see Nishikata, M. 612(1993)239
James, I., Crowley, C. and Perrett, D.
Assay of pyridinium crosslinks in serum using narrow-bore ion-paired reversed-phase high-performance liquid chromatography 612(1993)41
Johnson, J. A., see Herring, V. L. 612(1993)215
Kai, M., see Kojima, E. 612(1993)187
Katayama, M., Masuda, Y. and Taniguchi, H.
Determination of corticosteroids in plasma by high-performance liquid chromatography after pre-column derivatization with 2-(4-carboxyphenyl)-5,6-dimethylbenzimidazole 612(1993)33
Katlein, R., see Rissler, K. 612(1993)150
Klerer, C. P., see Moore, D. J. 612(1993)310
Kojima, E., Kai, M. and Ohkura, Y.
Determination of tryptophan in human serum by high-performance liquid chromatography with pre-column fluorescence derivatization using phenylglyoxal 612(1993)187
Kramer Nielsen, K. and Brøsen, K.
High-performance liquid chromatography of imipramine and six metabolites in human plasma and urine 612(1993)87
Kruger, P. B., De V. Albrecht, C. F. and Van Jaarsveld, P. P.
Use of guanidine hydrochloride and ammonium sulfate in comprehensive in-line sorption enrichment of xenobiotics in biological fluids by high-performance liquid chromatography 612(1993)191
Kucharczyk, N.
Estimation of the lower limit of quantitation, a method detection performance parameter for biomedical assays, from calibration curves 612(1993)71
Lam, T.-H., see Lam, Y. W. F. 612(1993)166
Lam, Y. W. F., Chan, D. C. N., Rodriguez, S. Y., Lintakoon, J. H. and Lam, T.-H.
Sensitive high-performance liquid chromatographic assay for the determination of chlorhexidine in saliva 612(1993)166
Larsen, R., see Altmayer, P. 612(1993)326
Layet, S., see Bihoreau, N. 612(1993)49
Lee, B. L., see Liau, L. S. 612(1993)63
Li, X.-Y., see Zhang, C.-X. 612(1993)287
Liau, L. S., Lee, B. L., New, A. L. and Ong, C. N.
Determination of plasma ascorbic acid by high-performance liquid chromatography with ultraviolet and electrochemical detection 612(1993)63
Ling, D.-K., see Zhang, C.-X. 612(1993)287
Lintakoon, J. H., see Lam, Y. W. F. 612(1993)166
Macek, K.
HPLC methods in drug analysis (by M. K. Ghosh) (Book Review) 612(1993)340
Mariotti, F., see Rondelli, I. 612(1993)95
Massart, D. L., see Vandenbosch, C. 612(1993)77
Masuda, Y., see Katayama, M. 612(1993)33
Matsumoto, I., see Ogawa, H. K. 612(1993)145
Mikšík, I., Hodný, Z. and Deyl, Z.
Chromatographic separation of glycated nucleotides 612(1993)57
Minton, T. A., see Morrow, J. D. 612(1993)179
Miyake, K., see Nishikata, M. 612(1993)239
Miyazaki, K., see Nishikata, M. 612(1993)239
Moore, D. J., Perrino, P. J., Klerer, C. P. and Robertson, P.
High-performance liquid chromatographic assay for two rifamycin-derived hypocholesterolemic agents in liver and biological fluids 612(1993)310
Morrow, J. D. and Minton, T. A.
Improved assay for the quantification of 11-dehydrothromboxane $B_2$ by gas chromatography–mass spectrometry 612(1993)179
Motohashi, M., see Okuda, T. 612(1993)263
Muralidhara, S., see Chen, X. M. 612(1993)199
Nakai, A., see Nishikata, M. 612(1993)239
New, A. L., see Liau, L. S. 612(1993)63
Nieto, S., see Speisky, H. 612(1993)315
Nishikata, M., Nakai, A., Fushida, H., Miyake, K., Arita, T., Iseki, K., Miyazaki, K. and Nomura, A.
Enantioselective pharmacokinetics of homochlorcyclizine. III. Simultaneous determination of (+)- and (−)-homochlorcyclizine in human urine by high-performance liquid chromatography 612(1993)239
Nomura, A., see Nishikata, M. 612(1993)239
Nuñez-Vergara, L. J., see Speisky, H. 612(1993)315
Nyyssönen, K., Seppänen, K. and Salonen, J. T.
High-performance liquid chromatographic assay of platelet-produced thromboxane $B_2$ 612(1993)27
Oddoze, C., see Rop, P. P. 612(1993)302
Ogawa, H. K., Takeuchi, Y., Uchibori, H., Matsumoto, I. and Seno, N.
Determination of N-acetylneuraminic acid and N-glycolylneuraminic acid in glycoproteins by high-performance liquid chromatography without derivatization 612(1993)145
Ohkura, Y., see Kojima, E. 612(1993)187
Oizumi, J. and Hayakawa, K.
Biocytin synthetase activity in human milk as assessed by high-performance liquid chromatography 612(1993)156
Okuda, T., Aoki, I., Motohashi, M. and Yashiki, T.
Sensitive high-performance liquid chromatographic determination of 2,2′-[(2-aminoethyl)imino]diethanol bis-(butylcarbamate) and its metabolites in human serum following pre-column derivatization with *o*-phthalaldehyde and stabilization of the derivatives 612(1993)263
Oliver, Jr., G. W., see Steinberg, J. J. 612(1993)277
Ong, C. N., see Liau, L. S. 612(1993)63

Pacifici, R., Pichini, S., Altieri, I., Rosa, M., Bacosi, A., Caronna, A. and Zuccaro, P.
Determination of nicotine and two major metabolites in serum by solid-phase extraction and high-performance liquid chromatography, and high-performance liquid chromatography–particle beam mass spectrometry 612(1993)209
Panteix, G., see Guichard, J. 612(1993)269
Paolantonacci, P., see Bihoreau, N. 612(1993)49
Perrett, D., see James, I. 612(1993)41
Perrino, P. J., see Moore, D. J. 612(1993)310
Philippon, F., see Fiset, C. 612(1993)231
Pichini, S., see Pacifici, R. 612(1993)209
Plomp, T. A. and Buijs, M. J. H.
High-performance liquid chromatographic method for the simultaneous determination of pentisomide and its major metabolite N-desisopropylpentisomide in plasma, urine and tissues using solid-phase extraction 612(1993)123
Redenti, E., see Rondelli, I. 612(1993)95
Rissler, K., Katlein, R. and Cramer, H.
Recovery of substance P and related C-terminal fragments on solid-phase extraction cartridges for subsequent high-performance liquid chromatographic separation and radioimmunoassay 612(1993)150
Robertson, P., see Moore, D. J. 612(1993)310
Roche, C., see Guichard, J. 612(1993)269
Rodriguez, S. Y., see Lam, Y. W. F. 612(1993)166
Rondelli, I., Mariotti, F., Acerbi, D., Redenti, E., Amari, G. and Ventura, P.
Selective method for plasma quantitation of the stereoisomers of a new aminotetralin by high-performance liquid chromatography with electrochemical detection 612(1993)95
Rop, P. P., Grimaldi, F., Oddoze, C. and Viala, A.
Determination of nicotine and its main metabolites in urine by high-performance liquid chromatography 612(1993)302
Rosa, M., see Pacifici, R. 612(1993)209
Salonen, J. T., see Nyyssönen, K. 612(1993)27
Sandra, P., see Coene, J. 612(1993)21
Scott, P. G., see Tredget, E. E. 612(1993)7
Seno, N., see Ogawa, H. K. 612(1993)145
Seppänen, K., see Nyyssönen, K. 612(1993)27
Sevillano-Cabeza, A., see Campíns-Falcó, P. 612(1993)245
Sidhu, J. S. and Charles, B. G.
Simple microscale high-performance liquid chromatographic method for determination of furosemide in neonatal plasma 612(1993)161
Sjöqvist, F., see Aden Abdi, Y. 612(1993)336
Smyth, J. F., see Cummings, J. 612(1993)105
Speisky, H., Cassels, B. K., Nieto, S., Valenzuela, A. and Nuñez-Vergara, L. J.
Determination of boldine in plasma by high-performance liquid chromatography 612(1993)315
Spencer, G. G., Beach, A. C. and Gupta, R. C.
Improved thin-layer chromatographic separation of $^{32}$P-postlabeled DNA adducts 612(1993)295
Srivatsan, V., see Chen, X. M. 612(1993)199
Steinberg, J. J., Oliver, Jr., G. W. and Cajigas, A.
Assay of deoxy-deazapurines in DNA by 3′-phosphorylation and two-dimensional thin-layer chromatography 612(1993)277
Sun, Z.-P., see Zhang, C.-X. 612(1993)287
Sutra, J. F., see Alvinerie, M. 612(1993)115
Takeuchi, Y., see Ogawa, H. K. 612(1993)145
Taniguchi, H., see Katayama, M. 612(1993)33
Taton, G., see Vandenbosch, C. 612(1993)77
Titulaer, H. A. C. and Vink-Blijleven, N.
Assay of artelinic acid in serum by high-performance liquid chromatography 612(1993)331
Tredget, E. E., Forsyth, N., Uji-Friedland, A., Chambers, M., Ghahary, A., Scott, P. G., Hogg, A. M. and Burke, J. F.
Gas chromatography–mass spectrometry determination of $^{18}O_2$ in $^{18}$O-labelled 4-hydroxyproline for measurement of collagen synthesis and intracellular degradation 612(1993)7
Turgeon, J., see Fiset, C. 612(1993)231
Uchibori, H., see Ogawa, H. K. 612(1993)145
Uji-Friedland, A., see Tredget, E. E. 612(1993)7
Unni, L. K.
Methodological commentary on the analysis of metrifonate and dichlorvos in biological samples. Reply to Aden Abdi *et al.* 612(1993)338
Valenzuela, A., see Speisky, H. 612(1993)315
Van Belle, S., see Vandenbosch, C. 612(1993)77
Vandenbosch, C., Van Belle, S., De Smet, M., Taton, G., Bruynseels, V., Vandenhoven, G. and Massart, D. L.
Determination of leucovorin and 5-fluorouracil in plasma by high-performance liquid chromatography 612(1993)77
Van den Eeckhout, E., see Coene, J. 612(1993)21
Vandenhoven, G., see Vandenbosch, C. 612(1993)77
Van Jaarsveld, P. P., see Kruger, P. B. 612(1993)191
Van Miert, A. S. J. P. A. M., see Alvinerie, M. 612(1993)115
Van 't Klooster, G. A. E., see Alvinerie, M. 612(1993)115
Ventura, P., see Rondelli, I. 612(1993)95
Viala, A., see Rop, P. P. 612(1993)302
Villén, T., see Aden Abdi, Y. 612(1993)336
Vink-Blijleven, N., see Titulaer, H. A. C. 612(1993)331
Walle, T., see Eller, T. D. 612(1993)320
Walle, U. K., see Eller, T. D. 612(1993)320
Wan, T. S. M., see Chee, G. L. 612(1993)172
Willmott, N., see Cummings, J. 612(1993)105
Yashiki, T., see Okuda, T. 612(1993)263
Zhang, C.-X., Sun, Z.-P., Ling, D.-K., Zheng, J.-S., Guo, J. and Li, X.-Y.
Determination of 3-methylflavone-8-carboxylic acid, the main metabolite of flavoxate, in human urine by capillary electrophoresis with direct injection 612(1993)287
Zheng, J.-S., see Zhang, C.-X. 612(1993)287
Zuccaro, P., see Pacifici, R. 612(1993)209

# Compound Index

**N-Acetylneuraminic acid**
Determination of N-acetylneuraminic acid and N-glycolylneuraminic acid in glycoproteins by high-performance liquid chromatography without derivatization 612(1993)145

**Aditoprim**
Determination of aditoprim and its oxidative metabolites in plasma and microsomal incubation mixtures by high-performance liquid chromatography 612(1993)115

**Alkyl lysophospholipids**
Gas chromatographic determination of alkyl lysophospholipids after solid-phase extraction from cell culture media 612(1993)21

**2,2′-[2-Aminoethyl)imino]diethanol bis(butylcarbamate)**
Sensitive high-performance liquid chromatographic determination of 2,2′-[(2-aminoethyl)imino]diethanol bis(butylcarbamate) and its metabolites in human serum following pre-column derivatization with *o*-phthalaldehyde and stabilization of the derivatives 612(1993)263

**Aminotetralins**
Selective method for plasma quantitation of the stereoisomers of a new aminotetralin by high-performance liquid chromatography with electrochemical detection 612(1993)95

**Antihaemophilia A factor**
Application of a new statistical approach to optimize the immunopurification of antihemophilia A factor 612(1993)49

**Artelinic acid**
Assay of artelinic acid in serum by high-performance liquid chromatography 612(1993)331

**Ascorbic acid**
Determination of plasma ascorbic acid by high-performance liquid chromatography with ultraviolet and electrochemical detection 612(1993)63

**Basic drugs**
Reproducible and high-speed separation of basic drugs by capillary zone electrophoresis 612(1993)172

**Biocytin synthetase**
Biocytin synthetase activity in human milk as assessed by high-performance liquid chromatography 612(1993)156

**Boldine**
Determination of boldine in plasma by high-performance liquid chromatography 612(1993)315

**Catecholamines**
Determination of catecholamines in rat heart tissue and plasma samples by liquid chromatography with electrochemical detection, by B.-M. Eriksson and B.-A. Persson, *J. Chromatogr.*, 228 (1982) 143 612(1993)1

**CGP 43371**
High-performance liquid chromatographic assay for two rifamycin-derived hypocholesterolemic agents in liver and biological fluids 612(1993)310

**Chlorhexidine**
Sensitive high-performance liquid chromatographic assay for the determination of chlorhexidine in saliva 612(1993)166

**Corticosteroids**
Determination of corticosteroids in plasma by high-performance liquid chromatography after pre-column derivatization with 2-(4-carboxyphenyl)-5,6-dimethylbenzimidazole 612(1993)33

**Cotinine**
Determination of nicotine and two major metabolites in serum by solid-phase extraction and high-performance liquid chromatography, and high-performance liquid chromatography–particle beam mass spectrometry 612(1993)209

Determination of nicotine and its main metabolites in urine by high-performance liquid chromatography 612(1993)302

**Dapoxetine**
Determination of dapoxetine, an investigational agent with the potential for treating depression, and its mono- and di-desmethyl metabolites in human plasma using column-switching high-performance liquid chromatography 612(1993)253

**11-Dehydrothromboxane $B_2$**
Improved assay for the quantification of 11-dehydrothromboxane $B_2$ by gas chromatography–mass spectrometry 612(1993)179

**Deoxy-deazapurines**
Assay of deoxy-deazapurines in DNA by 3′-phosphorylation and two-dimensional thin-layer chromatography 612(1993)277

**Deoxypyridinoline**
Assay of pyridinium crosslinks in serum using narrow-bore ion-paired reversed-phase high-performance liquid chromatography 612(1993)41

**Desipramine**
High-performance liquid chromatography of imipramine and six metabolites in human plasma and urine 612(1993)87

**N-Desisopropylpentisomide**
High-performance liquid chromatographic method for the simultaneous determination of pentisomide and its major metabolite N-desisopropylpentisomide in plasma, urine and tissues using solid-phase extraction 612(1993)123

**Desmethyldapoxetine**
Determination of dapoxetine, an investigational agent with the potential for treating depression, and its mono- and di-desmethyl metabolites in human plasma using column-switching high-performance liquid chromatography 612(1993)253

**2,7-Diaminomitosene**
Determination of mitomycin C, 2,7-diaminomitosene, 1,2-*cis*- and 1,2-*trans*-1-hydroxy-2,7-diaminomitosene in tumour tissue by high-performance liquid chromatography 612(1993)105

**Dichlorvos**
Methodological commentary on the analysis of metrifonate and dichlorvos in biological samples 612(1993)336

Methodological commentary on the analysis of metrifonate and dichlorvos in biological samples. Reply to Aden Abdi *et al.* 612(1993)338

**N-Didesmethyladitoprim**
Determination of aditoprim and its oxidative metabolites in plasma and microsomal incubation mixtures by high-performance liquid chromatography 612(1993)115

**Didesmethylimipramine**
High-performance liquid chromatography of imipramine and six metabolites in human plasma and urine 612(1993)87

**Diuretics**
Improved detection limits for screening of diuretics by coupled liquid chromatography and ultraviolet–visible spectrophotometry 612(1993)245

**DNA**
Assay of deoxy-deazapurines in DNA by 3′-phosphorylation and two-dimensional thin-layer chromatography 612(1993)277

**DNA adducts**
Improved thin-layer chromatographic separation of $^{32}$P-postlabeled DNA adducts 612(1993)295

**Dopamine**
Determination of catecholamines in rat heart tissue and plasma samples by liquid chromatography with electrochemical detection, by B.-M. Eriksson and B.-A. Persson, *J. Chromatogr.*, 228 (1982) 143 612(1993)1

**Droperidol**
Simultaneous high-performance liquid chromatographic assay of droperidol and flunitrazepam in human plasma. Application to haemodilution blood samples collected during clinical anaesthesia 612(1993)269

**Drugs, basic**
Reproducible and high-speed separation of basic drugs by capillary zone electrophoresis 612(1993)172

**Enzymes**
Biocytin synthetase activity in human milk as assessed by high-performance liquid chromatography 612(1993)156

**Epinephrine**
Determination of catecholamines in rat heart tissue and plasma samples by liquid chromatography with electrochemical detection, by B.-M. Eriksson and B.-A. Persson, *J. Chromatogr.*, 228 (1982) 143 612(1993)1

**Factor VIII**
Application of a new statistical approach to optimize the immunopurification of antihemophilia A factor 612(1993)49

**Flavoxate**
Determination of 3-methylflavone-8-carboxylic acid, the main metabolite of flavoxate, in human urine by capillary electrophoresis with direct injection 612(1993)287

**Flunitrazepam**
Simultaneous high-performance liquid chromatographic assay of droperidol and flunitrazepam in human plasma. Application to haemodilution blood samples collected during clinical anaesthesia 612(1993)269

**5-Fluorouracil**
Determination of leucovorin and 5-fluorouracil in plasma by high-performance liquid chromatography 612(1993)77

**Furosemide**
Simple microscale high-performance liquid chromatographic method for determination of furosemide in neonatal plasma 612(1993)161

**N-Glycolylneuraminic acid**
Determination of N-acetylneuraminic acid and N-glycolylneuraminic acid in glycoproteins by high-performance liquid chromatography without derivatization 612(1993)145

**Homochlorcyclizine**
Enantioselective pharmacokinetics of homochlorcyclizine. III. Simultaneous determination of (+)- and (−)-homochlorcyclizine in human urine by high-performance liquid chromatography 612(1993)239

***trans*-3′-Hydroxycotinine**
Determination of nicotine and two major metabolites in serum by solid-phase extraction and high-performance liquid chromatography, and high-performance liquid chromatography–particle beam mass spectrometry 612(1993)209

Determination of nicotine and its main metabolites in urine by high-performance liquid chromatography 612(1993)302

***trans*-3′-Hydroxycotinine glucuronide**
Determination of nicotine and its main metabolites in urine by high-performance liquid chromatography 612(1993)302

**Hydroxydesipramine**
High-performance liquid chromatography of imipramine and six metabolites in human plasma and urine 612(1993)87

**1-Hydroxy-2,7-diaminomitosene**
Determination of mitomycin C, 2,7-diaminomitosene, 1,2-*cis*- and 1,2-*trans*-1-hydroxy-2,7-diaminomitosene in tumour tissue by high-performance liquid chromatography 612(1993)105

**Hydroxyimipramine**
High-performance liquid chromatography of imipramine and six metabolites in human plasma and urine 612(1993)87

**4-Hydroxyproline**
Gas chromatography–mass spectrometry determination of $^{18}O_2$ in $^{18}O$-labelled 4-hydroxyproline for measurement of collagen synthesis and intracellular degradation 612(1993)7

**4-Hydroxypropranolol**
Direct high-performance liquid chromatographic determination in urine of the enantiomers of propranolol and its major basic metabolite 4-hydroxypropranolol 612(1993)215

**4′-Hydroxypropranolol**
Immunoaffinity isolation of the sulfate conjugate of 4′-hydroxypropranolol from plasma 612(1993)320

**Imipramine**
High-performance liquid chromatography of imipramine and six metabolites in human plasma and urine 612(1993)87

**Leucovorin**
Determination of leucovorin and 5-fluorouracil in plasma by high-performance liquid chromatography 612(1993)77

**3-Methylflavone-8-carboxylic acid**
Determination of 3-methylflavone-8-carboxylic acid, the main metabolite of flavoxate, in human urine by capillary electrophoresis with direct injection 612(1993)287

**Metrifonate**
Methodological commentary on the analysis of metrifonate and dichlorvos in biological samples 612(1993)336

Methodological commentary on the analysis of metrifonate and dichlorvos in biological samples. Reply to Aden Abdi *et al.* 612(1993)338

**Mitomycin C**
Determination of mitomycin C, 2,7-diaminomitosene, 1,2-*cis*- and 1,2-*trans*-1-hydroxy-2,7-diaminomitosene in tumour tissue by high-performance liquid chromatography 612(1993)105

**N-Monodesmethyladitoprim**
Determination of aditoprim and its oxidative metabolites in plasma and microsomal incubation mixtures by high-performance liquid chromatography 612(1993)115

**Nicotine**
Determination of nicotine and two major metabolites in serum by solid-phase extraction and high-performance liquid chromatography, and high-performance liquid chromatography–particle beam mass spectrometry 612(1993)209

Determination of nicotine and its main metabolites in urine by high-performance liquid chromatography 612(1993)302

**Nicotine-1′-N-oxide**
Determination of nicotine and its main metabolites in urine by high-performance liquid chromatography 612(1993)302

**Norepinephrine**
Determination of catecholamines in rat heart tissue and plasma samples by liquid chromatography with electrochemical detection, by B.-M. Eriksson and B.-A. Persson, *J. Chromatogr.*, 228 (1982) 143 612(1993)1

**Nucleotides, glycated**
Chromatographic separation of glycated nucleotides 612(1993)57

**Pentisomide**
High-performance liquid chromatographic method for the simultaneous determination of pentisomide and its major metabolite N-desisopropylpentisomide in plasma, urine and tissues using solid-phase extraction 612(1993)123

**Peptides**
Recovery of substance P and related C-terminal fragments on solid-phase extraction cartridges for subsequent high-performance liquid chromatographic separation and radioimmunoassay 612(1993)150

**Perchloroethylene**
Analyses of volatile $C_2$ haloethanes and haloethenes in tissues: sample preparation and extraction 612(1993)199

**Proline**
Gas chromatography–mass spectrometry determination of $^{18}O_2$ in $^{18}O$-labelled 4-hydroxyproline for measurement of collagen synthesis and intracellular degradation 612(1993)7

**Propofol**
Rapid and sensitive pre-column extraction high-performance liquid chromatographic assay for propofol in biological fluids 612(1993)326

**Propranolol**
Direct high-performance liquid chromatographic determination in urine of the enantiomers of propranolol and its major basic metabolite 4-hydroxypropranolol 612(1993)215

**Pyridinium**
Assay of pyridinium crosslinks in serum using narrow-bore ion-paired reversed-phase high-performance liquid chromatography 612(1993)41

**Pyridinoline**
Assay of pyridinium crosslinks in serum using narrow-bore ion-paired reversed-phase high-performance liquid chromatography 612(1993)41

**3-Pyridylcarbinol**
Determination of nicotine and its main metabolites in urine by high-performance liquid chromatography 612(1993)302

**Rifamycin-derived hypocholesterolaemic agent**
High-performance liquid chromatographic assay for two rifamycin-derived hypocholesterolemic agents in liver and biological fluids 612(1993)310

**Sotalol**
Stereoselective high-performance liquid chromatographic assay for the determination of sotalol enantiomers in biological fluids 612(1993)231

**Substance P**
Recovery of substance P and related C-terminal fragments on solid-phase extraction cartridges for subsequent high-performance liquid chromatographic separation and radioimmunoassay 612(1993)150

**Suramin**
Peak distortion effects of suramin due to large system peaks in bioanalysis using ion-pair adsorption chromatography 612(1993)137

**1,1,2,2-Tetrachloroethane**
Analyses of volatile $C_2$ haloethanes and haloethenes in tissues: sample preparation and extraction 612(1993)199

**Thromboxane $B_2$**
High-performance liquid chromatographic assay of platelet-produced thromboxane $B_2$ 612(1993)27

**Tramadol**
Achiral and chiral high-performance liquid chromatographic determination of tramadol and its major metabolites in urine after oral administration of racemic tramadol 612(1993)223

**1,1,1-Trichloroethane**
Analyses of volatile $C_2$ haloethanes and haloethenes in tissues: sample preparation and extraction 612(1993)199

**1,1,2-Trichloroethylene**
Analyses of volatile $C_2$ haloethanes and haloethenes in tissues: sample preparation and extraction 612(1993)199

**Tryptophan**
Determination of tryptophan in human serum by high-performance liquid chromatography with pre-column fluorescence derivatization using phenylglyoxal 612(1993)187

**Xenobiotics**
Use of guanidine hydrochloride and ammonium sulfate in comprehensive in-line sorption enrichment of xenobiotics in biological fluids by high-performance liquid chromatography 612(1993)191